



20050 SW 112th Ave. Tualatin, Oregon 97062
phone: 800.275.4899 fax: 503.612.2383
www.cui.com

Product Discontinuation

May 10, 2010

CUI regrets to announce plans to obsolete our Level IV 12W series wall and desktop adapters effective immediately. We will accept last time buy (LTB) orders until May 31, 2010 with a final shipment date of July 31, 2010. Acceptance of LTB orders is subject to product availability and at the discretion of CUI. Every effort will be made to fulfill these orders. However, in the event that we have some supply constraint, we reserve the right to short ship the order.

Obsolete Part Numbers

EPS050250UPS-P5P-KH
EPS050250UPS-P12P-KH
EPS060175UPS-P5P-KH
EPS090120UPS-P5P-KH
EPS090120UPS-P5N-KH
EPS120100UPS-P5P-KH
EPS120100UPS-P9P-KH
EPS120100UPS-P6P-KH
EPS120100UPS-P5N-KH
EPS120100UPS-P7P-KH
EPS120100UPS-P5RP-KH
EPS150080UPS-P5P-KH
EPS180067UPS-P5P-KH
EPS240050UPS-P5P-KH
ETS050250SUDC-P5P-KH
ETS050250SUDC-P5RP-KH
ETS050250SUDC-P7P-KH
ETS060175SUDC-P5P-KH
ETS090120SUDC-P5P-KH
ETS120100SUDC-P5P-KH
ETS150080SUDC-P5P-KH
ETS180067SUDC-P5P-KH
ETS240050SUDC-P5P-KH

Recommended Alternatives

EPSA050250U-P5P-EJ
EPSA050250U-P12P-EJ
EPSA060200U-P5P-EJ
EPSA090130U-P5P-EJ
EPSA090130U-P5N-EJ
EPSA120100U-P5P-EJ
EPSA120100U-P9P-EJ
EPSA120100U-P6P-EJ
EPSA120100U-P5N-EJ
EPSA120100U-P7P-EJ
EPSA120100U-P5RP-EJ
EMSA150120-P5P-SZ
EMSA180100-P5P-SZ
EMSA240070-P5P-SZ
ETSA050200UDC-P5P-SZ
ETSA050200UDC-P5PR-SZ
ETSA050200UDC-P7P-SZ
ETSA060200UDC-P5P-SZ
ETSA090133UDC-P5P-SZ
ETSA120100UDC-P5P-SZ
ETSA150080UDC-P5P-SZ
ETSA180067UDC-P5P-SZ
ETSA240050UDC-P5P-SZ

Purchase orders for these products will be considered non-cancelable, non-returnable (NCNR). Products purchased during this end-of-life transition period will be fully



20050 SW 112th Ave. Tualatin, Oregon 97062
phone: 800.275.4899 fax: 503.612.2383
www.cui.com

covered by CUI's standard product warranty. Failure analysis will be limited to verification of failure and remedies will be limited to credit of the product purchase price.

If you have any questions concerning the discontinuation notice, please contact your local CUI Representative.