


**PART NUMBER:** VFM100 series**DESCRIPTION:** open frame ac-dc power supply**features**

- universal input: 90~264VAC
- efficiency at 85% typical
- conductive EMI meets CISPR/FCC, class B/EN61204-3 class B
- power factor correction
- single output



model number	output voltage	max. load	min. load	ripple & noise <sup>1</sup>	voltage accuracy	line regulation <sup>2</sup>	load regulation <sup>3</sup>
VFM100-S5	5V	20A	0A	2%	±1%	±0.5%	±1%
VFM100-S9	9V	11.2A	0A	1%	±1%	±0.5%	±1%
VFM100-S12	12V	8.4A	0A	1%	±1%	±0.5%	±1%
VFM100-S15	15V	6.7A	0A	1%	±1%	±0.5%	±1%
VFM100-S18	18V	5.6A	0A	1%	±1%	±0.5%	±1%
VFM100-S24	24V	4.2A	0A	1%	±1%	±0.5%	±1%
VFM100-S48	48V	2.1A	0A	1%	±1%	±0.5%	±1%

**INPUT**

voltage	90-264VAC
frequency	47 to 63Hz
inrush current	50A max. @ 264VAC

**OUTPUT**

hold up time	20mS typ. @ 115VAC
short circuit protection	continuous
over voltage protection	auto recovery

**ENVIRONMENTAL CHARACTERISTICS**

operating temperature	0°C-40°C
storage temperature	-20°C-85°C

**MECHANICAL OUTLINE**

dimensions	5x3x1.34 inches (127x76.2x34 mm)
------------	----------------------------------

**GENERAL and SAFETY**

isolation voltage (HI-POT)	input to output	4242 V dc for 1 minute
safety approvals	approved to UL 60950 E210311, TUV, CE	
EMI standard	conducted emissions comply with CISPR22, FCC class B	
leakage current	3.5mA max.	
RoHS	yes	


**NOTES:**

1. add a 0.1µF ceramic capacitor and a 10µF E.L. capacitor to output for ripple and noise measuring @20MHz BW.
2. line regulation is measured from 100VAC to 240VAC with full load.
3. load regulation is measured from 60% to 100% full load and from 60% to 20% full load (60% ±40% full load).

**PART NUMBER:** VFM100 series

**DESCRIPTION:** open frame ac-dc power supply

**DIMENSIONS (mm)**



**NOTES:**


- 4. Dimensions tolerance:  $\pm 1$  mm
- 5. Connectors: ac input: Molex 5277 or equivalent  
dc output: Molex 5273 or equivalent
- 6. dc output pin 1, 2, 3, 4: Vout (+)  
dc output pin 5, 6, 7, 8: Vout (-)

**PART NUMBER:** VFM100 series

**DESCRIPTION:** open frame ac-dc power supply


## DERATING CURVES

VFM100 series derating curve



**Models:** VFM100-S9, VFM100-S24, VFM100-S28, VFM100-S48

VFM100 series derating curve



**Models:** VFM100-S12, VFM100-S15, VFM100-S18

VFM100 series derating curve

