



Declaration of Conformity

Manufacturer: CUI Inc 20050 SW 112th Ave Tualatin, OR 97062

For the following equipment:

DC-DC Converter

CUI Series: PST75W

Models: 36V nominal input, see next page

This declaration of conformity is issued under the sole responsibility of the manufacturer. The object of the declaration described above is in conformity with the relevant Union harmonization legislations and their amendments:

Low Voltage Directive 2014/35/EU EMC Directive 2014/30/EU RoHS Directive 2011/65/EU and (EU) 2015/863

References to the relevant harmonized standards used, including the date of the standard, or references to the other technical specifications, including the date of the specification, in relation to which conformity is declared:

Health & Safety

EMC

RoHS

Link Lu

EN IEC 62368-1:2020+A11:2020, IEC 62368-1:2018 EN 55032:2015+A11:2020; EN 55035:2017+A11:2020; EN 50121-3-2:2016 EN IEC 63000:2018

Note: An additional delta evaluation of the above-listed equipment concerning the differences between the requirements of the harmonized standard EN 62368-1:2014 (with all applicable corrections) and EN IEC 62368-1:2020, and IEC 62368-1:2018 has been performed and concludes that the safety objectives of the low-voltage targets (2014/35/EU) are met.

Shenzhen, China

10/31/2023

(place)

(date)

(manufacturer)

Colomon vagara

Product Compliance Specialist

Tualatin, Oregon, USA

10/31/2023

(date)

(manufacturer) Editha Vergara Global Director, Safety, Environmental

Bel Power Solutions & Protection (a bel group)

2nd Floor, Citygate House, Ballycummin Avenue, Raheen Business Park, Limerick, V94 H9YE, Ireland | t +353 61 498 955

www.cui.com

Page 1 of 3



MODEL LIST

PST75W-36-SXXB, PST75W-36-SXXBN, PST75W-36-SXXB-O, PST75W-36-SXXBN-O (where XX = 12, 15, 24, 28, 48 denote output voltage)

Model	Input voltage (typ.)	Input voltage (range)	Output voltage (Vdc)
PST75W-36-S12B	36	9.5-75	12
PST75W-36-S15B	36	9.5-75	15
PST75W-36-S24B	36	9.5-75	24
PST75W-36-S28B	36	9.5-75	28
PST75W-36-S48B	36	9.5-75	48
PST75W-36-S12BN	36	9.5-75	12
PST75W-36-S15BN	36	9.5-75	15
PST75W-36-S24BN	36	9.5-75	24
PST75W-36-S28BN	36	9.5-75	28
PST75W-36-S48BN	36	9.5-75	48
PST75W-36-S12B-O	36	9.5-75	12
PST75W-36-S15B-O	36	9.5-75	15
PST75W-36-S24B-O	36	9.5-75	24
PST75W-36-S28B-O	36	9.5-75	28
PST75W-36-S48B-O	36	9.5-75	48
PST75W-36-S12BN-O	36	9.5-75	12
PST75W-36-S15BN-O	36	9.5-75	15
PST75W-36-S24BN-O	36	9.5-75	24
PST75W-36-S28BN-O	36	9.5-75	28
PST75W-36-S48BN-O	36	9.5-75	48



REVISION HISTORY

rev.	description	date
1.0	initial release	10/31/23

The revision history provided is for informational purposes only and is believed to be accurate.

Page **3** of **3**