



## Declaration of Conformity

Manufacturer:  
**CUI Inc**  
20050 SW 112th Ave  
Tualatin, OR 97062

For the following equipment:

DC-DC Converter  
**CUI Series: PRC60W**  
Models: See next page

This declaration of conformity is issued under the sole responsibility of the manufacturer. The object of the declaration described above is in conformity with the relevant UK designated legislations (and their amendments) and relevant designated standards or other technical specifications.

**UK SI 2016 no. 1101: The Electrical Equipment (Safety) Regulations 2016 for Electrical Equipment Used within Certain Voltage Limits - as amended in 2019, 2020**

**UK SI 2016 no. 1091: The Electromagnetic Compatibility Regulations 2016 - as amended in 2019, 2020**

**UK SI 2012 no. 3032: The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012 - as amended in 2019, 2020**

References to the used, including the date of the standard, or references to the other technical specifications, including the date of the specification, in relation to which conformity is declared:

<b>Health &amp; Safety</b>	BS EN 62368-1:2014+A11:2017
<b>EMC</b>	BS EN 55032:2015+A11:2020; BS EN 55035:2017+A11:2020
<b>RoHS</b>	BS EN IEC 63000:2018

Note: These component level power supplies are intended exclusively for inclusion within other equipment. Protection against electric shock and Electromagnetic Compatibility (EMC) must be checked when the equipment is built-in a completed product or forms a part of a complete system.

### Approved by:



(manufacturer)

Editha Vergara  
Global Director, Safety, Environmental

**Tualatin, Oregon, USA**

(place)

**08/11/2023**

(date)

### UK Representative:



(manufacturer)

Cliff Gore  
European Sales Director  
Bel Power Solutions

**Maidstone, UK**

(place)

**08/11/2023**

(date)

## MODEL LIST

PRC60W-110-SXX (where XX = 5, 12, 24, 48 denote output voltage)

Model	Input voltage (typ.)	Input voltage (range)	Output voltage (Vdc)
PRC60W-110-S5	110	40-160	5
PRC60W-110-S12	110	40-160	12
PRC60W-110-S24	110	40-160	24
PRC60W-110-S48	110	40-160	48

## REVISION HISTORY

---

<b>rev.</b>	<b>description</b>	<b>date</b>
1.0	initial release	08/11/23

The revision history provided is for informational purposes only and is believed to be accurate.